

Shunli Sheet Piling Industrial Co., Ltd.

http://www.sheetpiling-china.com/U_Sheet_Pile.html

Sections	Width	Height	Thickness	Section	Weight	Weight	Moment	Modulus
	w	h	t	Area	per Pile	per Wall	of Inertia	of Section
	mm	mm	mm	cm ² /m	kg/m	kg/m ²	cm ⁴ /m	cm ³ /m
S1U5-1	600	150	9.5	119.7	56.4	94	3825	510
S1U5-2	600	150	10	126.1	59.4	99	4050	540
S1U6-1	600	280	6	90	42.2	70	8940	640
S1U7-1	600	300	6	93.4	44	73	9585	690
S1U7-2	600	340	6	98	46.2	77	11525	745
S1U7-3	600	360	6	99.6	46.9	78.2	11360	740
S1U8-1	600	340	6.5	103	48.5	80.8	10835	780
S1U8-2	600	330	7	109.6	51.6	86	12695	825
S1U8-3	600	355	7	113	53.2	88.7	12875	835
S1U8-4	750	320	6	87.1	51.3	68.4	131180	825
S1U9-1	600	400	6	104.6	49.3	82	16935	940
S1U9-2	600	330	7.5	120.6	56.8	94.7	14070	915
S1U9-3	750	320	7	101.74	59.9	79.9	15263	955
S1U10-1	600	375	7	114.6	54	90	18970	1060
S1U11-1	600	380	7.5	123	58	97	20965	1170
S1U11-2	600	360	8	131.6	62	103.3	19903	1110
S1U12-1	600	380	8.5	140.1	66	110	21610	1200
S1U12-2	600	350	8.5	137.36	64.7	107.8	18605	1200
S1U12-3	600	340	9	144.7	68.2	113.7	19230	1245
S1U12-4	500	360	8	144	56.5	113	19645	1155
S1U12-5	700	440	7.5	123	67.6	96.5	24210	1210

S1U12-6	600	360	9	148.6	70	116.7	22219	1236
S1U12-7	450	360	10	184	65	144.4	22446	1250
S1U13-1	675	405	7.5	123.6	65.5	97	25695	1290
S1U13-2	600	310	10	148	69.6	116	19530	1260
S1U13-3	500	355	9	154.6	60.7	121.4	21390	1265
S1U13-4	700	440	8	131.4	72.2	103	25955	1300
S1U13-5	700	400	10	137.6	75.6	108	26800	1340
S1U13-6	700	340	10	118.3	65	92.8	22100	1300
S1U13-7	600	360	10	148	69.6	116	22580	1255
S1U13-8	575	360	10	165.9	74.9	130	24225	1347
S1U14-1	750	445	8	132	77.8	103.7	28685	1410
S1U14-2	675	435	8	133.2	70.6	104.5	28095	1405
SLU15-1	675	420	8.5	142	75.3	112	30295	1520
SLU15-2	500	360	10	176.8	69.4	138.8	24820	1460
SLU16-1	750	440	9	146.8	86.4	115.2	32860	1605
SLU16-2	400	300	11	197.7	62.1	155	22590	1565
SLU16-3	600	400	9	156	73.7	122.8	30410	1600
SLU16-4	700	450	9	147.8	81.2	116	35210	1610
SLU16-5	650	480	8	140	71.5	110	39866	1662
SLU17-1	750	430	9.5	151	89.1	119	34280	1670
SLU17-2	500	420	12	211	83	166	34900	1660
SLU18-1	750	460	9	150.6	88.6	118	39310	1790
SLU18-2	400	310	12	221	69.4	173	26100	1790
SLU18-3	600	440	8.5	154	72.5	121	35955	1675
SLU18-4	600	440	9	163.5	77	128	38660	1800
SLU18-5	650	480	8	140	71.5	110	39866	1662
SLU20-1	750	460	10	164.4	96.8	129	44450	2005
SLU20-2	600	440	10	177	83.5	139	42430	2020
SLU20-3	600	450	10.5	185	87.5	145.8	42645	2035
SLU20-4	500	450	10	198	77.7	155.4	42005	2000

SLU20-5	750	470	10	163	96	128	45010	2000
SLU20-6	650	540	8	153.8	78.5	120.8	56005	2075
SLU21-1	750	480	10	169.5	99.8	133	46200	2080
SLU22-1	600	480	9.5	174	82	137	46390	2065
SLU22-2	600	480	10	183	86.2	144	49470	2205
SLU23-1	750	480	10.5	174	102.5	136.7	50720	2275
SLU23-2	650	540	9	171.5	87.5	134.6	61085	2320
SLU25-1	750	480	11.5	190	112	149	56270	2505
SLU25-2	600	440	12	202	95	158	54400	2510
SLU25-3	500	440	12	226	89	178	52600	2530
SLU26-1	750	480	12	197	116	154	58200	2590
SLU26-2	500	440	12	239	94	188	53620	2560
SLU26-3	650	540	10	188.3	96.1	147.85	69095	2560
SLU28-1	600	490	11.5	210	99	165	60600	2690
SLU28-2	600	490	12	218	103	172	64480	2845
SLU30-1	500	500	13	264	103.5	207	63880	3045
SLU32-1	600	520	13	244	115	192	72350	3210
SLU32-2	600	530	13	246	116	193	72360	3220
SLU32-3	750	605	11	227.6	134	178.7	95269	3170
SLU32-4	700	560	12	233.1	128.1	183	90817	3245
SLU35-2	700	560	13	252	138.5	197.9	105495	3498
SLU35-1	750	608	12	246.3	145	193.3	104390	3465
SLU37-1	750	610	13	266.7	157	209.3	113590	3749
SLU37-2	700	560	14	276.6	152	217	104365	3730
SLU40-1	750	610	14	285.4	168	224	122879	4045
SLU40-2	700	560	15	296.8	163.1	233	111205	3975
SLU43-1	750	610	15	306	180.1	240.1	132229	4338
SLU46-1	750	615	16	331.2	195	260	141675	4645